

JANUS REMOTE COMMUNICATIONS

LTE910PS POTSwap™ Standard Kit

Description

The Janus POTSwap allows users to replace analog (copper) phone lines, also called POTS (plain old telephone service) or PSTN (public switched telephone network), with a cost-competitive POTSwap unit and cellular voice and data plans. The POTSwap converts your fixed location landline devices to cellular enabled fixed or mobile implementations.

Installing a POTSwap is the easiest way to switch legacy equipment from traditional phone landlines to a 4G LTE network. The existing phone line is connected directly to POTSwap. Simply unplug the telephone jack from its wall outlet and plug it into the POTSwap's RJ11 socket. Insert the appropriate SIM card into the back panel of the unit.

Integrating Telit's LE910C1-NF LTE module as their cellular engine, the LTE910PS POTSwap units operate in LTE bands 2, 4, 5, 12, 13, 14, 66, and 71 with fallback to HSPA+ bands 2, 4, and 5. North American carriers include: AT&T and Verizon. Rogers, Bell and Telus versions will be available soon for Canadian customers.

POTSwap STANDARD KITS offer customers a POTSwap unit and standard accessories that are suitable for use within most office environments. The kits contain all items necessary to operate a POTSwap under normal operational situations.

Included in the Standard Kit:

- (1) LTE910PS POTSwap (specific version chosen by customer)
- (1) AC/DC Wall Adapter 12V 24W
- (2) LTE Antenna with SMA Connector (swivel)
- (1) GPS Active Antenna – Waterproof – Magnetic Mount – SMA Connector - 10 Feet
- (1) Quick Start Guide Documentation



Features

- Supports 3G and 4G network Standards
- Wide operating temperature range
- ARM Cortex-M3™ processor
- Firmware upgrade support
- Flexible power supply options
- Rugged aluminum enclosure

Applications

- Emergency phone kiosks
- Broadcast trucks
- Marine telephones
- Mobile office trailers
- Elevator telephones
- Public School Districts

POTSwap Connectivity



2359 Diehl Road
Aurora, IL 60502
630.499.2121
info@janus-rc.com
www.janus-rc.com

Bulletin **JA16-LTE-PB_SK**
Revision **02**
Date **21 Jan 2021**



Making machines talk.

POTSwap™ Standard Kit

Specifications

Interfaces

Modem/Telephone	RJ11 FXS
Serial	USB Mini -- user terminal interface for configuration and firmware upload.
Cellular Antenna	SMA
GPS Antenna	SMA; 3.3 V LNA bias voltage output.
Power Input	7-15 Vdc; 22W with two input alternatives: 6mm DC power jack with 2mm center pin positive 5.08mm (0.200") terminal header (accepts screw clamp and crimp connector type terminal blocks)

Features

SLIC	Performs all BORSCHT functions DTMF decoding REN=5 at 100 ft. (30m)
Voice	VoLTE (4G) and Voice over cellular (3G fallback)
Cellular Connection	4G (LTE) bands 2, 4, 5, 12, 13, 66 and 71. Plus 3G (fallback) bands 2, 4 and 5.
SIM Card	Micro (3FF size) SIM Card
Mounting	Integrated mounting brackets
Pushbuttons	MODE and RESET
LEDs	Power, Status, Cellular Link, GPS and Signal Strength
Dimensions (L x W x D)	6.0 in (152mm) x 5.2 in (132mm) x 1.2 in (30mm)
Weight	13 oz (365 g)

Environmental

Operating Temperature	-40° C to +60° C (-40° F to 140° F) <i>(Note: 6mm DC power jack is not specified for operation below -25°C)</i>
Relative Humidity	5% to 95% (non-condensing)

LTE POTSwap™ Ordering Information

POTSwap MODEL	DESCRIPTION
LTE910PS v1.00	AT&T, Rogers, Bell and Telus (no Band 14)
LTE910PS v3.00	Verizon 2/20 Notice: The Verizon POTSwap device is restricted from dialing 911. A firmware update will be made to this unit in coming months using FOTA (Firmware Over the Air) technology.

LTE POTSwap™ Carrier Certifications and Regulatory Approvals

The POTSwap includes several cellular carrier and regulatory approvals and certifications, as stated in our Product Briefs, User Manuals, and other documentation. *Ultimately, the customer is responsible for ascertaining and abiding by the Federal, State and local laws, regulations and other requirements regarding the application in which they will deploy the POTSwap.*

Revision History

Revision	Revision Date	Note
00	02/18/20	Initial Release
01	11/25/20	Customer Carrier, Certifications and Regulatory Approvals Notice
02	01/21/21	Updated Model Numbers

JANUS REMOTE
COMMUNICATIONS

Division of The Connor-Winfield Corporation

2359 Diehl Road • Aurora, IL 60502

630.499.2121 • info@janus-rc.com

www.janus-rc.com

Contact Sales for Additional Special Order Options:

Dave Jahr: djahr@janus-rc.com | 630-499-2121

© Copyright 2021 Janus Remote Communications.

POTSwap is a registered trademark of Janus.

All Rights Reserved. *Specifications subject to change without notice*
See website for latest revision. Not intended for life support applications.